

F I G . 1



F I G . 2



F I G . 3




FIG.4






FIG.5



F I G . 6






FIG.8





FIG.9






FIG.11




FIG.12




FIG.13




FIG.14




FIG.15




FIG.16





FIG.17







FIG.19







FIG.21









FIG.23










FIG.27




FIG.28




FIG.29




FIG.30






FIG.31




PRESENCE/ABSENCE OF EXTERNAL APPEARANCE BLURRING	(-)	PRESENCE	ABSENCE	PRESENCE	ABSENCE	ABSENCE	ABSENCE	ABSENCE	ABSENCE	ABSENCE	ABSENCE	ABSENCE
SLIDING TEST DETERMINATION	<u> </u>	1	3	1	3	3	2	3	2	2	3	3
FRONT FACE LUMINANCE RELATIVE VALUE	(%)	100	89	86	26	9	26	92	94	66	26	98
COEFFICIENT OF DYNAMIC FRICTION	(-)	08'0	0.25	0.29	0.25	0.27	0.24	0.25	0.27	0.29	0.26	0.26
HEIGHT AT CONVEX PORTION 1 % AREA	(mm)	0.269	10.1	0.391	3,456	7.716	1.133	6.63	1.993	3,303	5.312	3.218
Rz	$(\mu_{\rm m})$	9.0	23.6	0.7	8.2	16.7	2.9	19.3	5.2	1.4	9.5	5.6
0.20 µm CONVEX PORTION DISTANCE	(mm)	318	42	126	06	35	53	46	52	115	108	98
0.20 µm CONVEX PORTION NUMBER	(/mm ²)	10	582	61	125	826	362	398	398	9/	87	137
WORKING EXAMPLE		11	12	13	14	15	16	17	18	19	20	21

FIG.33

WORKING EXAMPLE	HAZE	δα			
	(%)	(red)			
22	1	0.0023			
23	85.5	0.4352			
24	14.9	0.0442			
25	13.7	0.0733			
26	93.2	0.4880			
27	11	0.0522			
28	80.7	0.3701			
29	35.1	0.1067			
30	5.8	0.0245			
31	33.6	0.1023			
32	22.3	0.0738			





0.2 μ m CONVEX PORTION NUMBER (/mm²)






FIG.37








FIG.40

